

Oklahoma: 2005 State Estimates of Serious Psychological Distress & Depression

- [All mental health reports](#) ■ [Mental health State level data](#) ■ [All geographic area data](#)

2005 State Estimates of Substance Use & Mental Health

- [State Data Table](#)
- [National Maps on Substance Abuse & Mental Health](#)
- [National Maps on Mental Health:](#)
 - [Figure 6.1 - - Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by State](#)
 - [Figure 6.2 - - Serious Psychological Distress in Past Year among Persons Aged 18 to 25, by State](#)
 - [Figure 6.3 - - Serious Psychological Distress in Past Year among Persons Aged 26 or Older, by State](#)
 - [Figure 6.4 - - Major Depressive Episode in Past Year among Persons Aged 18 or Older, by State](#)
 - [Figure 6.5 - - Major Depressive Episode in Past Year among Youth Aged 12 to 17, by State](#)
 - [Figure 6.6 - - Major Depressive Episode in Past Year among Youth Aged 18 to 25, by State](#)
 - [Figure 6.7 - - Major Depressive Episode in Past Year among Youth Aged 26 or Older, by State](#)

■ **Table 1 - - Oklahoma: Serious Psychological Distress and Depression in Past Year by Age Group: Annual Averages Based on 2004 and 2005 NSDUHs**

Estimated Numbers (in thousands):	Total	AGE GROUP (Years)		
	18 or Older	12-17	18-25	26 or Older
Serious Psychological Distress ⁹	343 ⁹	--	95	248
Having at Least One Major Depressive Episode ¹⁰	207 ¹⁰	27	54	153
Percentage of population:				
Serious Psychological Distress ⁹	13.26 ⁹	--	22.67	11.44
Having at Least One Major Depressive Episode ¹⁰	7.98 ¹⁰	9.10	12.88	7.03

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach.


-- Not available.

⁹ Estimates for Serious Psychological Distress (SPD) presented here are based on the short form of the SPD module. Hence, prior estimates based on the long form of the SPD module are not comparable with these estimates. For details, [see Appendix A](#) of the report on State estimates of substance use from the 2004-2005 NSDUHs. Data for SPD are not defined for 12 to 17 year olds; therefore, the "Total" estimate reflects those aged 18 or older.

¹⁰ Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the DSM-IV. Due to minor wording differences in the questions in the adult and adolescent MDE modules, data from youths aged 12 to 17 were not combined with data from persons aged 18 or older to get an overall estimate (i.e., for those aged 12 or older). Therefore, the "Total" estimate reflects those aged 18 or older.

Below is a map, [Alts.htm#Fig6.1](#)">click here for the text describing this map.


Figure 6.1 *Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by State: Percentages, Annual Averages Based on 2004 and 2005 NSDUHs*



Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Below is a map, [Alts.htm#Fig6.2](#)">click here for the text describing this map.


Figure 6.2 *Serious Psychological Distress in Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2004 and 2005 NSDUHs*



Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Below is a map, [Alts.htm#Fig6.3](#)>click here for the text describing this map.


Figure 6.3 *Serious Psychological Distress in Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2004 and 2005 NSDUHs*



Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Below is a map, [Alts.htm#Fig6.4"](#)>click here for the text describing this map.


Figure 6.4 Having at Least One Major Depressive Episode in Past Year among Persons Aged 18 or Older, by State: Percentages, Annual Averages Based on 2004 and 2005 NSDUHs



Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Below is a map, [Alts.htm#Fig6.5](#)>click here for the text describing this map.


Figure 6.5 *Having at Least One Major Depressive Episode in Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2004 and 2005 NSDUHs*



Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Below is a map, [Alts.htm#Fig6.6](#)>click here for the text describing this map.


Figure 6.6 Having at Least One Major Depressive Episode in Past Year among Persons Aged 18 to 25, by State: Percentages, Annual Averages Based on 2004 and 2005 NSDUHs



Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Below is a map, [Alts.htm#Fig6.7"](#)>click here for the text describing this map.

Figure 6.7 Having at Least One Major Depressive Episode in Past Year among Persons Aged 26 or Older, by State: Percentages, Annual Averages Based on 2004 and 2005 NSDUHs



Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

This page was last updated on December 23, 2008.

SAMHSA, an agency in the Department of Health and Human Services, is the Federal Government's lead agency for improving the quality and availability of substance abuse prevention, addiction treatment, and mental health services in the United States.

[Site Map](#) | [Contact Us](#) | [Accessibility](#) | [Privacy Policy](#) | [Freedom of Information Act](#)
[Disclaimer](#) | [Department of Health and Human Services](#) | [SAMHSA](#) | [White House](#) | [USA.gov](#)

* PDF formatted files require that Adobe Acrobat Reader® program is installed on your computer. [Click here to download this FREE software now from Adobe.](#)

What's New	Highlights	Topics	Data	Drugs	Pubs	Short Reports	Treatment	Help	Mail	OAS
------------	------------	--------	------	-------	------	---------------	-----------	------	------	-----